
STATISTICAL SELECTION PROCEDURES(U) CORNELL UNIV ITHACA NY SCHOOL OF OPERATIONS RESEARCH AND INDUSTRIAL ENGINEERING R BECHHOFER 31 OCT 85 ARO-18396.18-MA DARG29-81-K-0168 F/G 12/1 1/1 CLASSIFIED NL END



MICROCOPY RESOLUTION TEST CHART

184 DECLASSIFICATION DOWN SRADING

READ INSTRUCTIONS

BEFORE COMPLETING FORM 3 RECIPIENT'S CATALOG NUMBER

TYPE OF REPORT & PERIOD COVERED

September 1, 1981 - sept.15,1985 . PERFORMING ONG REPORT NUMBER

Final Report

В

IS. SUPPLEMENTARY NOTES

PARTIES AND A TRACTOR WAS ALLEGED AND A CONTRACTOR OF THE PARTIES AND A CONTRACTOR OF THE PART

ARO

4. TITLE (and Bubillio)

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (Mon Date Refered)

REPORT DOCUMENTATION PAGE

18396.18-MA

STATISTICAL SELECTION PROCEDURES

2 GOVT ACCESSION NO.

THE VIEW, OPINIONS, AND 'OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR SYAND SHOULD THE COLOTRUED AS AN OFFIC ALL DEPARTMENT OF THE COLOT FOS. TO FELL CY, OR DE-CISION, UNLESS SO DESIGNATED BY OTHER DECUMENTATION.

17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)

19 KEY WORDS (Continue on reverse side if necessary and identify by block number)

statistical selection proceedings, statistical ranking procedures; multiple o mpurison procedures; balanced treatment incomplete block (BIIB) designs. /

20 ABSTRACT (Continue on reverse side if recreasing and identify by block number)

This is the final report on Contract DAAG-29-81-K-0168 entitled "Statistical selection Procedures." The report Mists the technical reports and published papers (and those accepted for or submitted for publication) which were written with the full or partial support of the contract. Also included is a brief review of recent significant research progress on the contract.

FORM DD 174173 1473 EDITION OF ! NOV 65 IS OBSOLETE

Unclassified

### STATISTICAL SELECTION PROCEDURES

FINAL REPORT ON CONTRACT DAAG-29-81-K-0168

Ъу

Robert E. Bechhofer

Principal Investigator

October 31, 1985

U.S. ARMY RESEARCH OFFICE

CONTRACT DAAG-29-81-K-0168

School of Operations Research and Industrial Engineering

College of Engineering

Cornell University

Ithaca, NY 14853

APPROVED FOR PUBLIC RELEASE;

DISTRIBUTION UNLIMITED

### FINAL REPORT ON CONTRACT DAAG-29-81-K-0168

This is the final report on Contract DAAG-29-81-K-0168 entitled "Statistical Selection Procedures." The report covers the period September 1, 1981 through September 15, 1985. This contract with a total budget of \$175,000 was originally planned to cover the 3-year period from September 1, 1981 through August 31, 1984; a no-new-funds extension was granted to continue research through September 15, 1985. The contract is a follow-up to Contract DAAG-29-81-C-0036 (and earlier ones) which had similar missions. Because of the closeness of the objectives of these contracts, the present report lists some articles the research for which was initiated or completed under the earlier contract, but which were not completed or published until after the final report of that contract was submitted.

The following pages describe briefly some of the research results and list the papers published (and those accepted for publication) with the full or partial support of these contracts. The contents of most of these papers have already been described in detail in the eight Semi-Annual Progress Reports covering the 4-year period of performance of the contract.



Accession For			
NTIS	GRA&I		1
DTIC T			- 1
Unsuno			1
Justification			
By			
Distribution/			
Availability Codes			
Avail and/or			
Dist	Spec	lal	
AT		ł	

### RESEARCH ON CONTRACT DAAG-29-81-K-0168

One of the main thrusts of new research on the present contract stems from a selection problem associated with quantal response curves. The statistical model underlying the quantal response curve problem was described in detail in the Semi-Annual Progress Report on the predecessor contract DAAG-29-80-C-0036 dated June 30, 1980. It was pointed out there that if certain assumptions hold for the k≥ 2 quantal response curves, then the selection problem for the k quantal response curves can be solved by solving an associated selection problem for  $k \ge 2$  Bernoulli populations. (A follow-up in depth study of the original problem was carried out by Dr. A. C. Tamhane, and reported on in "A survey of literature on estimation methods for quantal response curves with a view toward applying them to the problem of selecting the curve with the smallest q-quantile (Ed 100q)," TR No. 614 (December 1983); this article has since been accepted for publication in Communications in Statistics. In his article Tamhane assessed the difficulties associated with finding a solution (other than the one mentioned above) to the original problem.)

Recognition of the fact that a solution to the Bernoulli selection problem leads (under appropriate assumptions) to a solution of the quantal response selection problem suggested that intensive study of the former problem would be profitable. Such a study was initiated by the P.I. along with Dr. Radhika Kulkarni, then one of his Ph.D. students. Their study lead to a major research breakthrough; namely an optimal

closed adaptive sequential procedure for selecting the best Bernoulli population. Their findings are not only relevant to the quantile selection problem, but are also very important in their own right.

e.g., in vendor selection and in clinical trials. Subsequent papers by the P.I. and his co-researchers and others studied in depth the properties of the procedure and its performance characteristics. These papers are listed chronologically in the following pages under the heading "References on the Bechhofer-Kulkarni Bernoulli selection procedure." The results have been presented at professional meetings, both theoretical and applied, and were very well received. The P.I. and his co-workers are continuing study of this procedure and several variants of it.

Results obtained on the Bernoulli selection problem have led to related results on the problem of selecting the multinomial event which has the largest probability. Several articles have been published on this subject by the P.I. along with Drs. David Goldsman and Radhika Kulkarni. Research on this problem is continuing.

A third major area of research initiated by the P.I. and
Dr. A. C. Tamhane involved the use and construction of a new class of
incomplete block designs, which they termed balanced treatment
incomplete block (BTIB) designs for comparing several test treatments
with a control treatment. Their fundamental paper on this subject was
published in Technometrics (1981) (Corrigendum, Technometrics (1982),
24, 171) with follow-up papers in Sankhya (1983) and in Selected Tables
in Mathematical Statistics (1985). Their studies of this problem have

led to further related investigations by many other research workers. A partial list of some of the additional articles published on this subject is given in the following pages under the heading "Additional references on balanced treatment incomplete block (BTIB) designs." At the present time the P.I. does not contemplate further studies of this problem.

The P.I. has submitted a research proposal to ARO-D to pursue new investigations in some of the areas described above and in related ones, and to further exploit research findings already obtained. The P.I. also proposed to write a short monograph on Bernoulli selection procedures with special reference to the Bechhofer-Kulkarni closed adaptive sequential procedure. The monograph would be intended for use by practitioners; tables of constants necessary to implement the procedures, and tables describing the performance characteristics of the procedures will be furnished. As presently conceived the monograph will contain theorems but no proofs. The P.I. along with his colleague, Professor Thomas J. Santner of the School of Operations Research and Industrial Engineering at Cornell, also plans to write a monograph on statistical selection procedures. The theme of the book would be alternatives to hypothesis testing--specifically selection and multiple comparisons with emphasis on the former. It would presume a two-semester course in statistical methods through analysis of variance and factorial experiments. The emphasis would be on relevant procedures and their properties but not on proofs. Tables of constants necessary to implement the procedures will be provided.

The year 1984 marked the 30th anniversary of the first published paper on the so-called "indifference-zone" approach to ranking and selection (Bechhofer, R.E. (1984). "A single sample multiple decision procedure for ranking means of normal populations with known variances," Annals of Mathematical Statistics, 25, 16-39). In celebration of this anniversary the P.I. was asked to write an article surveying the progress made to date and highlighting some of the more important papers written during this period. Professors Shanti S. Gupta and S. Panchapakesan have written a companion article with particular reference to the "subset" approach. These will appear in a special issue of the American Journal of Mathematical and Management Sciences. The issue is titled "Statistical ranking and selection: three decades of development."

At this time the P.I. would like to express his thanks to the Army Research Office - Durham for its strong support of this research activity over many years. He is particularly indebted to Dr. Robert Launer of ARO-D for his constant interest and encouragement.

### REFERENCES ON THE BECHHOFER-KULKARNI

### BERNOULLI SELECTION PROCEDURE

- Sobel, M. and Huyett, M. (1957). Selecting the best one of several binomial populations. <u>Bell System Technical Journal</u>, 36, 537-576.
- Kulkarni, R.V. (1981). Closed adaptive sequential procedures for selecting the best of  $k \ge 2$  Bernoulli populations. Unpublished Ph.D. dissertation, Cornell University, Ithaca, New York.
- Bechhofer, R.E. and Kulkarni, R.V. (1982). Closed adaptive sequential procedures for selecting the best of k ≥ 2 Bernoulli populations. Proceedings of the Third Purdue Symposium on Statistical Decision Theory and Related Topics (ed. by S.S. Gupta and J. Berger), New York, Academic Press, 1, 61-108.
- Bechhofer, R.E. and Kulkarni, R.V. (1982-83). On the performance characteristics of closed adaptive sequential procedure for selecting the best Bernoulli population. <u>Communications in Statistics Sequential Analysis</u>, 1(4), 315 354.
- Frisardi, T. (1982). Monte Carlo experiments with a closed adaptive sequential procedure for selecting the best Bernoulli population. M.S. thesis, Cornell University, Ithaca, New York.
- Bechhofer, R.E. and Frisardi, T. (1983). A Monte Carlo study of the performance of a closed adaptive sequential procedure for selecting the best Bernoulli population. <u>Journal of Statistical Computation</u> and Simulation, Vol. 18, No. 2&3, 179 213.
- Jennison, C. (1983). Equal probability of correct selection for Bernoulli selection procedures. <u>Communications in Statistics--Theory and Methods</u>, Al2, 24, 2887 2896.
- Jennison, C. (1984). On the expected sample size for the Bechhofer-Kulkarni Bernoulli selection procedure. <u>Communications in Statistics (C)-Sequential Analysis</u>, 3(1), 39 49.
- Jennison, C. and Kulkarni, R.V. (1984). Optimal procedures for selecting the best s out of k Bernoulli populations. <u>Design of Experiments: Ranking and Selection</u> (eds. T.J. Santner and A.C. Tamhane) Marcel-Dekker, New York, 113 125.
- Percus, O.E. and Percus, J.K. (1984). On the Bechhofer-Kulkarni stopping rule for sequential clinical trials. <u>SIAM Journal of Applied Mathematics</u>, Vol. 44, No. 6, 1164 1175.
- Bechhofer, R.E. (1985). An optimal sequential procedure for selecting the best Bernoulli process--a review. To appear in the <u>Naval</u> <u>Research Logistics Quarterly</u>, 32.

- Kulkarni, R.V. and Jennison, C. (1986). Optimal properties of the Bechhofer-Kulkarni Bernoulli selection procedure. To appear in the Annals of Statistics, 14 (March 1986)
- Kulkarni, R.V. and Kulkarni, V.G. (1985). Optimal Bayes procedures for selecting the better of two Bernoulli populations. Technical Report No. UNC/ORSA/TR-85-6. Submitted for publication.

## ADDITIONAL REFERENCES ON BALANCED TREATMENT INCOMPLETE BLOCK (BTIB) DESIGNS

- Ture, T. E. (1982). On the construction and optimality of balanced treatment incomplete block designs. Ph.D. dissertation, Department of Statistics, University of California, Berkeley.
- Notz, W. I. and Tamhane, A. C. (1983). Balanced treatment incomplete block (BTIB) designs for comparing treatments with a control:

  Minimal complete sets of generator designs for k = 3, p = 3(1)10.

  Communications in Statistics. Theory and Methods 12(12), 1391-1412.
- Majumdar, D. and Notz, W. (1983). Optimal incomplete block designs for comparing treatments with a control. <u>Annals of Statistics</u>, 11, 258-286.
- Hedayat, A. S. and Majumdar, D. (1984). A-optimal incomplete block designs for control-test treatment comparisons. <u>Technometrics</u>, 26, 363-370.
- Hedayat, A. S. and Majumdar, D. (1985). Families of A-optimal block designs for comparing test treatments with a control. <u>Annals of Statistics</u>, 13, 757-767.
- Notz, W. I. (1985). Optimal designs for treatment-control comparisons in the presence of two-way heterogeneity. <u>Journal of Statistical Planning and Inference</u>, 12, 61-73.
- Ture, T. E. (1985). A-optimal balanced treatment incomplete block designs for multiple comparisons with the control. International Statistical Institute meeting, Amsterdam.

### Research supported in whole or in part by

### ARO contract DAAG-29-81-K-0168

(or by DAAG-29-80-C-0036 and not

### listed in the FINAL REPORT on that contract

dated July 31, 1981).

### Papers (published or accepted for publication)

- Bechhofer, R. E. and Kulkarni, R. V. (1982). Closed adaptive sequential procedures for selecting the best of  $k \ge 2$  Bernoulli populations. In <u>Statistical Decision Theory and Related Topics. III</u> (ed. by S. S. Gupta and J. Berger), Academic Press, 61-108.
- Bechhofer, R. E. and Dunnett, C. W. (1982). Multiple comparisons for orthogonal contrasts: tables and applications. <u>Technometrics</u>, 24, 213-222.
- Bechhofer, R. E. (1982). In memorian, Jack Carl Kiefer, 1924-1981. The American Statistician, 36, 356-357. (Reprinted in Chinese in Mathematics in Practice and Theory, Academica Sinica, Beijing, China, Vol. 1 (1984), 76-80.)
- Bechhofer, R. E. and Kulkarni, R. V. (1982). On the performance characteristics of a closed adaptive sequential procedure for selecting the best Bernoulli population. <u>Sequential Analysis</u>, <u>Communications in Statistics</u> (C), 1, 315-354.
- Bechhofer, R. E. and Tamhane, A. C. (1983). Incomplete block designs for comparing treatments with a control (II): optimal designs for p=2(1)6, k=2 and p=3, k=3. Sankhya, 45, Series B, 193-224.
- Bechhofer, R. E. and Tamhane, A. C. (1983). Design of experiments for comparing treatments with a control: tables of optimal allocations of observations. <u>Technometrics</u>, 25, 87-95.
- Bechhofer, R. E. and Frisardi, T. (1983). A Monte Carlo study of the performance of a closed adaptive sequential procedure for selecting the best Bernoulli population. <u>Journal of Statistical Computation and Simulation</u>, 18, 179-213.

- Bechhofer, R. E. and Tamhane, A. C. (1984). Tables of admissible and optimal balanced treatment incomplete block (BTIB) designs for comparing treatments with a control. In <u>Selected Tables in Mathematical Statistics</u>, 8, 41-139.
- Bechhofer, R. E. (1984). Discussion of "Experimental design: review and comment" by D. M. Steinberg and W. G. Hunter. <u>Technometrics</u>, 26, 125-127.
- Bechhofer, R. E. and Kulkarni, R. V. (1984). Closed sequential procedures for selecting the multinomial events which have the largest probabilities. <u>Communications in Statistics -- Theory and Methods</u> Al3 (24), 2997-3031.
- Bechhofer, R. E. (1984). An optimal sequential Bernoulli selection procedure. In <u>Proceedings of the Twenty-ninth Conference on the Design of Experiments in Army Research Development and Testing</u>, ARO Report 84-2, Part 2, 27-48.
- Bechhofer, R. E. and Goldsman, D. (1985). On the Ramey-Alam sequential procedure for selecting the multinomial event which has the largest probability. <u>Communications in Statistics--Simulation and Computation</u>, B14(2), 263-282.
- Bechhofer, R. E. and Goldsman, D. (1985). Truncation of the Bechhofer-Kiefer-Sobel sequential procedure for selecting the multinomial event which has the largest probability. <u>Communications in Statistics--Simulation and Computation</u>, B14(2), 283-315.
- Bechhofer, R. E. (1985). An optimal sequential procedure for selecting the best Bernoulli process--A review. To appear in <u>Naval Research Logistics Quarterly</u>, 32.
- Bechhofer, R. E. (1985). Selection and ranking procedures--some personal reminiscences and thoughts about its past, present and future. To appear in <u>American Journal of Mathematics and Management Sciences</u>, 5, No. 3 & 4.
- Faltin, F. W. and McCulloch, C. E. (1983). On the small-sample properties of the Olkin-Sobel-Tong estimator of the probability of correct selection. <u>Journal of the American Statistical Association</u>, 78, 464-467.
- Hayter, A. J. (1984). A proof of the conjecture that the Tukey-Kramer multiple comparisons procedure is conservative. <u>Annals of Statistic</u> 61-75.
- Jennison, C. (1983). Equal probability of correct selection for Bernoulli selection procedures. <u>Communications in Statistics--Theory and Methods</u>, 12(24), 2887-2896.

- Jennison, C. (1984). On the expected sample size for the Bechhofer-Kulkarni Bernoulli selection procedure. <u>Communications in Statistics</u> (C)--<u>Sequential Analysis</u>, 3(1), 34-49.
- Kulkarni, R. V. and Jennison, C. (1986). Optimal properties of the Bechhofer-Kulkarni Bernoulli selection procedure. To appear in the <u>Annals of Statistics</u>, 14, No. 1.
- Mah, R.S.H. and Tamhane, A. C. (1986). Data reconciliation and gross error detection in chemical process networks. To appear in <u>Technometrics</u>.
- McCulloch, C. E. (1982). Conditions under which  $E(N_1) = \infty$  for Tong's adaptive solution to ranking and selection problems. Communications in Statistics--Theory and Methous, 11(7), 815-819.
- Tamhane, A. C. (1985). Some sequential procedures for selecting the better Bernoulli treatment using a matched samples design. <u>Journal of the American Statistical Association</u>, 80, 455-460.
- Tamhane, A. C. (1986). A survey of literature on estimation methods for quantal response curves with a view toward applying them to the problem of selecting the curve with the smallest q-quantile (ED 100q). To appear in Communications in Statistics-- Theory and Methods.

からには、日本では、これには、日本のでは、日本には、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本

### Graduate studen; s supported in part by contract DAAG 29-81-K-0168

Thomas Frisardi

Susan Malila

### Visiting Scientists supported in part by contract DAAG-29-81-K-0168

Christopher Jennison

Ajit C. Tamhane

# M.S. thesis, the research for which was support in part by contract DAAG-29-81-K-0168

Frisardi, Thomas: (M.S. thesis) "Monte Carlo experiments with a closed adaptive sequential procedure for selecting the best Bernoulli population." January 1983.

# END

# FILMED

3-86

DTIC